

Front Suspension

Ride Height: _____
 Camber: _____
 Toe: _____
 Anti-Roll Bar: _____
 Wheelbase Shim: _____
 Wheel Hex: _____
 Caster Block: _____

Axle Height:

+3
 +2
 +1
 0

Bump Steer Spacing: _____

Ball Stud Spacing: _____


Steering Plate: _____

Ball Stud: _____

Ball Stud Spacing: _____


Arm Mount A:

LRC HRC 1° 0.5°



Arm Mount B:

LRC HRC 1° 0.5°



Arm Mount C:

LRC HRC 1° 0.5°



Arm Mount D:

LRC HRC 1° 0.5°



Rear Hub Link Setting:



Ball Stud:

Ball Stud Spacing:

Spacing:

Hub Insert:

0 (0/3↑)
 +1 (1/2↑)
 +2 (1/2↓)
 +3 (0/3↓)

Notes

Notes

Rear Suspension

Ride Height: _____
 Camber: _____
 Anti-Roll Bar: _____
 Wheel Hex: _____
 Hub Spacing: Forward Middle Back
 Arm Spacing: Forward Back
 Gearbox Shim: Yes No
 Chassis Brace: Short Long

Radio:	Servo:	Front Fluid:	Shocks:	Front	Rear
EPA: Throttle: _____ %	Brake: _____ %	Gears: Plastic <input type="checkbox"/> Metal <input type="checkbox"/>	Piston:		
ESC:		Center Fluid:	Fluid:		
ESC Settings:		Gears: Plastic <input type="checkbox"/> Metal <input type="checkbox"/>	Spring:		
Motor: _____	Timing: _____	Rear Fluid:	Limiters:		
Pinion: _____	Spur: _____	Gears: Plastic <input type="checkbox"/> Metal <input type="checkbox"/>	Stroke:		
Battery:		Slipper Clutch:	Eyelet Length:		
Battery Position:		# of Pads:	Cup Offset:		
			Notes:		



Track Info, Tires & Aero Electronics, Drivetrain & Shocks

Size: Small Medium Large Extra Large
 Surface: Dirt Carpet Astroturf Multi Surface
 Traction: Low Medium High Very High
 Moisture: Dry Damp Wet
 Condition: Indoor Outdoor Dusty Hard Packed
 Bumpy Grooved Smooth Loamy
 Temperature: Ambient: _____ Humidity: _____
 Notes: _____

Front Tires: _____
 Front Compound: _____
 Front Insert: _____
 Rear Tires: _____
 Rear Compound: _____
 Rear Insert: _____
 Wheel (F/R): _____
 Notes: _____

Body: _____
 Wing: _____
 Wing Angle: 0° 3° 6°
 Chassis Weights: _____
 None 15g 30g Other
 Other Weights: _____
 Total Vehicle Weight: _____

Comments